

What is claimed is:

1. A method for conveying data communications network management information to an umbrella management system, the method comprising:

generating network management information;

publishing said network management information as network management information events on an information bus;

subscribing to said network management information events at a monitor interface in communication with said information bus;

receiving said network management information events at said interface;

converting said network management information events into umbrella management system information useable by said umbrella management system; and

communicating said umbrella management system information to said umbrella management system.

2. A method in accordance with claim 1, further comprising:

filtering said network management information events to
communicate selected information contained in said events.

3. A method in accordance with claim 1, further comprising:

translating said umbrella management system information
into an umbrella management system input protocol.

4. A method in accordance with claim 3, wherein said input protocol is Simple
Network Management Protocol (SNMP) traps.

5. A method in accordance with claim 3, further comprising:

communicating the translated umbrella management system
information to a database within the umbrella management system.

6. A method in accordance with claim 3, further comprising:

communicating the translated umbrella management system
information to a network management system application within the
umbrella management system.

7. A method in accordance with claim 6, further comprising:
- communicating the translated umbrella management system information to a Management Information Base (MIB) associated with the network management system application.
8. A method in accordance with claim 1, wherein subscribing includes:
- subscribing to events related to the starting of an instance of a service component within the data communications network.
9. A method in accordance with claim 1, wherein subscribing includes:
- subscribing to events related to the stopping of an instance of a service component within the data communications network.
10. A method in accordance with claim 1, wherein subscribing includes:
- subscribing to events related to the configuration of a service within the data communications network.
11. A method in accordance with claim 1, wherein subscribing includes:

subscribing to events related to the configuration of the monitor interface.

12. A method in accordance with claim 1, wherein subscribing includes:

subscribing to events related to an error occurring at a service within the data communications network.

13. A method in accordance with claim 1, wherein subscribing includes:

subscribing to events responsive to two or more conflicting signals being received by a service within the data communications network, said conflicting signals created by two or more network control consoles with a specified period of time.

14. A method in accordance with claim 1, further comprising:

publishing events at the monitor interface on to the information bus.

15. A method in accordance with claim 14, wherein publishing events at the monitor interface includes:

publishing events at the monitor interface in response to events received.

C2
16. A method in accordance with claim 14, wherein publishing events at the monitor interface includes:

5 publishing events at the monitor interface containing information conveyed from the umbrella management system.

664070" 2322260
C2 ~~sub~~
17. A method for managing a data communications network comprising:

starting a network management application program;

starting an access database adapter in communication with said network management application program;

starting a master daemon in communication with said access database adapter;

starting a control adapter with said master daemon;

15 restarting said control adapter with said master daemon should said

control adapter ever stop;

starting at least one service with said control adapter, said service including a service adapter in communication with said control adapter and said access database adapter; and

starting a monitor interface adapter, said monitor interface adapter in communication with said control adapter, said service adapter, said access database adapter and an umbrella management system.

18. A method in accordance with claim 17, further comprising:

publishing at said control adapter, said service adapter and said access database adapter network management information events on to an information bus;

subscribing at said monitor interface adapter to said network management information events;

receiving said network management information events at said monitor interface adapter;

converting said network management information events into

umbrella management system information useable by said
umbrella management system; and

communicating said umbrella management system
information to said umbrella management system.

5

19. A method in accordance with claim 18 further comprising:

publishing events at said monitor interface adapter on to said
information bus.

20. A monitor interface in a data communications network, said monitor
interface in communication with an information bus and an umbrella management
system, said monitor interface comprising:

an adapter that subscribes to and captures network management
events off of said information bus;

a converter in communication with said adapter that formats said
events into umbrella management system information; and

15

a forwarder in communication with said converter that conveys said
umbrella management system information to said umbrella management

system.

21. A monitor interface in accordance with claim 20, further comprising:

a filter in communication with said adapter, said filter selecting certain information from certain network management events.

C2

- 5 22. A monitor interface in accordance with claim 20, further comprising:

a publisher in communication with said adapter, said publisher transmitting events across said information bus.

- 10 23. A data communications network comprising:

C2

a first processor including:

a network management application,

an access database adapter in communication with said network management application and an information bus,
and

a database in communication with said network management

application and said access database adapter;

a second processor including:

a control adapter in communication with said information bus,

a service adapter in communication with said information bus and said control adapter, said service adapter started by said control adapter service, and

at least one service running on said processor, said service in communication with said service adapter; and

a monitor interface including:

a monitor interface adapter in communication with said information bus, said monitor interface adapter subscribing to and capturing events published by said access database adapter, said control adapter and said service adapter,

a converter in communication with said monitor interface adapter, said converter converting said events into umbrella

management system information, and

a forwarder in communication with said converter, said forwarder conveying said network management information to an umbrella management system.

5 ~~24.~~ A monitor interface in a data communications network, said monitor interface in communication with an information bus and an umbrella management system, said monitor interface comprising:

a means for subscribing to network management information events published on said information bus;

10 a means for receiving said network management information events;

a means for converting said network management information events into umbrella management system information useable by said umbrella management system; and

15 a means for communicating said umbrella management system information to said umbrella management system.

25. A monitor interface in accordance with claim 24, further comprising

a means for filtering said network management information events to communicate selected information in said events to said umbrella management system.

26. A monitor interface in accordance with claim 24, further comprising:

a means for publishing events on to said information bus.

27. A program storage device readable by a machine tangibly embodying a program of instructions executable by the machine to perform a method for integrating data communications network management information into an umbrella management system, the method comprising:

obtaining network management information;

publishing said network management information as network management information events on an information bus;

subscribing to said network management information events at a monitor interface in communication with said information bus;

receiving said network management information events at said

interface;

converting said network management information events into
umbrella management system information useable by said
umbrella management system; and

communicating said umbrella management system
information to said umbrella management system.

28. A program storage device readable by a machine tangibly embodying a
program of instructions executable by the machine to perform a method for
managing a data communications network comprising:

starting a network management application program;

starting an access database adapter in communication with said
network management application program; and

starting a monitor interface adapter, said monitor interface in
communication with said control adapter, said service adapter,
said access database adapter and an umbrella management system.